ZAKHAR'YEVSKIY, A.N.

L.Martin's book "Technical optics" [translated from the English]. Reviewed by A.N.Zakhar'evskii. Opt.i spektr. 10 no.3:424-425 Mr '61. (MIRA 14:8)

(Optics) (Martin, L.)

ZAKHAR'YEVSKIY, A.N.; KUZNETSOVA, A.F.

Use of interference microscopes in biology. TSitologiia 3 no.3: 245-253 My-Je '61. (MIRA 14:6)

1. Gosudarstvennyy opticheskiy institut, Leningrad.
(INTERFEROMETRY) (MICROSCOPY)

ZAKHAR'YEVSKIY, A.N.; KUZNETSOVA, A.F.

Biological interference microscopes. TSitologiia 3 no. 2:213-224 Mr-Ap '61. (MIRA 14:4)

1. Gosudarstvennyy opticheskiy institut, Leningrad.
(MICROSCOPE)

24(4) SOV/51-6-5-26/34

AUTHORS: Zakhar'yevskiy, A.N. and Fedin, L.A.

TITLE: Measurement of Double Refraction of Fibres (Izmereniye dvoynogo lucheprelomleniya volokon)

PERIODICAL: Optika i Spektroskopiya, 1959, Vol 6, Nr 5, pp 701-703 (USSR)

ABSTRACT: A polarization microscope suitable for measurement of double refraction in fibres is shown in Fig 1. A fibre F is placed in a suitable immersion medium between an objective Ob and a condenser K. The other parts of the microscope are: a polarizer P, an analyser A, an ocular Oc and a Wollaston prism W (placed in the image plane). For 0.01-0.02 mm thick fibres the magnification is 500 X. The system produces linear interference bands at right-angles to the fibre. A fibre displaces the bands by an amount ΔN which is related to double refraction, defined as the difference between the refractive indices of polarized rays ($n_{\parallel} - n_{\perp}$), by the following expression

$$\Delta N = \frac{a(n_{\parallel} - n_{\perp})}{\lambda} , \qquad (1)$$

where a is the thickness of the fibre and λ is the wavelength of the light used. Fig 2 shows a microphotograph taken in green light

Card 1/3

(546 mμ). The five fibres shown in Fig 2 are: (1) caprone, (2) "lavsan", (3) nitron, (4) cuprammonium rayon, (5) viscose rayon. The strongest double refraction occurs in "lavsan" (fibre 2) and the weakest (it is also of the opposite sign) in cuprammonium rayon (fibre 4). In order to measure ΔN precisely it is convenient to use a screw micrometer with its hair-line in the image plane. For this purpose the scheme of Fig 1 is replaced by one of the two variants shown in Fig 3: two Wollaston prisms W_1 and W_2 are used and the micrometer hair-line is placed in the image plane Q. This idea is due to L.A. Fedin (author's certificate No. 604720/26 dated July 25, 1958). Double refraction $(n_{\parallel} - n_{\perp})$ of a uniform fibre is now calculated from

$$(n_{\parallel} - n_{\perp}) = \frac{R\lambda}{EWS}, \qquad (7)$$

where R is the area (measured microphotometrically) bounded by the curved interference band in the fibre and the original rectilinear band

Card 2/3

(c.f. Fig 4, part A), S is the separation between undisplaced bands, M is the magnification of the microscope and S is the cross-sectional area of the fibre. There are 4 figures and 2 references, 1 of which is German and 1 English.

SUBMITTED: December 4, 1958

ZAKHAR'EVSKIY, B.

RT-1111 (Maintenance and operation of jet-propelled airplanes) Praktika tekhnicheskogo obsluzhivaniia i ekspluatatsii reaktivnykh samoletov.
Vestnik Vozdushnogo Flota, (9): 45-48, 1947.

ZAKHAR'YEVSKIY, M.S.

5(2) PHASE I BOOK EXPLOITATION SOV/2946

Leningrad. Universitet

Voprosy khimii (Problems in Chemistry) [Leningrad] Izd-vo Leningradskogo univ., 1959. 160 p. (Series: Its: Uchenyye zapiski, no. 272) (Series: Leningrad. Universitet. Khimicheskiy fakul'tet. Uchenyye zapiski. Seriya khimicheskikh nauk, vyp. 18) 1,600 copies printed.

Resp. Ed.: A. G. Morachevskiy; Ed.: Ye. V. Shchemeleva; Tech. Ed.: S. D. Vodolagina.

PURPOSE: This book is intended for chemists in research and industry as well as for teachers and students in chemical vuzes.

COVERAGE: This collection of eighteen articles on various branches of chemistry, mainly physical and analytical, was compiled on the basis of experimental research by the Chemistry Department of Leningrad University. The articles deal chiefly with methods of isolating rare earths in pure form and identifying them. No personalities are mentioned. References accompany individual articles.

TABLE OF CONTENTS:

ZAKHAR'YEVSKIY, Matislav Sergeyevich; NIKOL'SKIY, B.P., prof., otv.red.; DOBYCHIN, D.P., kand.khim.nauk, otv.red.; SHCHEMELEVA, Ye.V., red.; ZHUKOVA, Ye.G., tekhn.red.

[Kinetics of chemical reactions] Kinetika khimicheskikh reaktsii. Leningrad, Izd-vo Leningr.univ., 1959. 165 p. (MIRA 12:12)

1. Chlen-korrespondent AN SSSR (for Nikol'skiy).
(Chemical reaction, Rate of)

5(4) SOV/54-59-3-21/21

AUTHOR: Zakhar'yevskiy, M. S.

TITLE: The State of the Theory of Heterogeneous Catalysis

PERIODICAL: Vestnik Leningradskogo universiteta. Seriya fiziki i khimii, 1959, Nr 3, pp 141-144 (USSR)

ABSTRACT: The present paper gives a survey on the present state of catalysis. For some time a tendency has been observed of going over from homogeneous to heterogeneous catalysis as the latter yields much purer products in contrast to homogeneous catalysis. Heterogeneous catalysis displaces also the fermentative one because of the much simpler production of the catalysis raw materials. The theory of heterogeneous catalysis, which is important for industrial purposes and production, is still somewhat contradictory. In general, it is assumed that catalysis is due to a formation of intermediate compounds of a special nature (Boreskov, Refs 1, 2). Roginskiy observed a variation of the catalytic properties by traces of gas, Kobozev observed a difference in the catalytic properties of single atoms and a monoatomic layer. Roginskiy developed the theory of oversaturation (Ref 3) and Balandin the multiplet theory (Refs 5, 6, 7, 8). The

Card 1/3

The State of the Theory of Heterogeneous Catalysis

following phenomena were observed: a reaction of the atoms of the crystal surface with gaseous molecules, a reaction of an amorphous colloidal surface layer with gaseous molecules n, a reaction of a surface solution (surface hydrides- and oxides) with gaseous molecules and finally, a reaction of single atoms adsorbed on the surface with gaseous molecules. Herefrom the existence of various regions of reaction is concluded: 1) The physical region in which a Van der Waals adsorption takes place. Only little solid bonds form. Reaction energy amounts to 1 kcal. 2) Region of chemisorption. A close surface bond forms overcoming the energy barrier. Activation energy is equal to that of ordinary chemical reactions. A frozen activated complex is formed. Multiplet theory provides explanations of the processes in this region. Excited states develop (transition states), but only in geometric and energy agreement with the reacting atoms and molecules. The value $\alpha\lambda_K + \varepsilon_0$ occurs in calculating the activation energy which depends only on the catalyst. Roginskiy's theory of oversaturation is especially taken into account. There are various concepts on the nature of the surface. (1) existence of an energe-

The State of the Theory of Heterogeneous Catalysis

tically uniform surface (Boreskov). Phenomena of surface contamination are in contradiction with this concept.(2) existence of active centers. The third region comprises the boundary case of chemisorption. Single atoms or radicals form due to the tearing of bonds in the adsorbed bound molecule. Balandin's multiplet theory and Roginskiy's and Vol'kenshteyn's electron theory (Refs 9, 10, 11, 12) may be well applied to this region, as well as the theory developed by Semenov and Voyevodskiy as regards radical formation. The fourth mentioned region is the plateau, in which spatial phases are formed between catalyst and gaseous molecule. This field does not participate in catalysis. There are 1 figure and 21 references, 20 of which are Soviet.

SUBMITTED: May 15, 1958

Card 3/3

PAL'CHEVSKIY, V.V.; ZAKHAR'YEVSKIY, M.S.; KAL'VARSKAYA, T.M.

Methylorange absorption spectra in concentrated salt solutions.
Vest. LGU 17 no.16:125-130 '62. (MIRA 15:9)
(Methyl orange—Spectra)



The determination of the p_H of internal sections of food products. M. S. Zakhar'evskii. *Voprosy Pitaniya* 7, No. 3, 111–18 (in German, 118)(1938).—The p_H obtained on Pt electrodes set into the center of large meat sections is generally slightly higher than that obtained on aq. extn. of the meat. The former method is more rapid and reproducible for detg. the p_H of foodstuffs. S. A. K.





CA

IIC

Ultrafiltration of dysentery phage. M. S. Zakhar'ev-akil. *Trudy Il Leningrad. Med. Inst.* 1939, 100–18; *Chem. Zentr.* 1943, I, 1668.—In the ultrafiltration of dysentery phage adsorption plays an important role. Membranes generally impermeable to phage become permeable after being heated in broth; this reduces adsorption. The pore size is unimportant. The size of the bacteriophage cannot be detd. accurately by ultrafiltration. The passage of the phage through the filter is limited to pores of max. size. Rachel Brown

ASM-SLA METALLURGICAL LITERATURE CLASSIFICATION



CA

12

The determination of the oxidation-reduction potential of bacterial cultures. M. S. Zakhar'evskii. *Z. Mikrobiol., Epidemiol. Immunobiologii.* (U.S.S.R.) 1939, No. 2-3, 87-97 (in English, 97).—The beginning processes of decompn. in foods can be detected by a fall in the oxidation-reduction potential to a definite min. level. This level is characteristic for each group of foods. The method is suggested as an indicator of the presence of *B. coli communis*, *B. proteus vulgaris* and *B. lactis aerogenes* in foods.

S. A. Kurjala

ASM-SLA METALLURGICAL LITERATURE CLASSIFICATION



Ca

11C

Calculation of the oxidation-reduction potential of bacterial cultures. M. S. Zakhar'evskii. *Z. Mikrobiol., Epidemiol. Immunobiologii.* (U. S. S. R.) 1939, No 7-8, 188-7; *Khim. Referat. Zhur.* 1940, No. 3, 12-3, cf. *C. A.* 33, 5017⁸; 35, 7397. — To compare the data of various investigators, Z. proposes to calc. the oxidation-reduction potential of bacterial cultures either in E_H or rH_2 values instead of using the experimental E_H values, because the values of potentials detd. at various pH values are not comparable without corresponding reductions.

W. R. Henn

A38-31A METALLURGICAL LITERATURE CLASSIFICATION



The determination of the initial stages of meat spoilage by means of physicochemical methods. M. S. Zakhar'evskii. *Veterinariya* 8, No. 1, 35-42(1931). Although the pH of meat rises during spoilage, it is an unsatisfactory index of the freshness of meat since the value for fresh meat varies considerably. The oxidation-reduction potential is a satisfactory index since it falls rapidly from +200 mv. with respect to the H electrode to −150 mv. during the initial stages of spoilage.
S. A. Karjala



CA

PROCESSES AND PROPERTIES INDEX

Metallized glass electrodes. M. S. Zakhar'evskii. *Zavodskaya Lab.* 9, 647(1940); *Chem. Zentr.* 1941, II, 2116.—To economize in the use of Pt and Au it is recommended to plate glass rods with Au. Satisfactory results are obtained with such electrodes but their elec. resistance is rather high and the electrodes are not very stable toward soins. contg. Cl. W. T. H.

1

METALLURGICAL LITERATURE CLASSIFICATION



CA

11B

A rapid method for determination of the oxidation reduction potential in biologic systems. M. S. Zakhar'evskii. *Microbiology* (U. S. S. R.) 9, 873-8(in English, 878); (1940); cf. *C. A.* **33**, 5017⁹.—For a rapid detn. of the rH, the smooth Pt electrodes should have a min. surface and a max. ratio of the surface to total vol. of Pt. Before use they should be cleaned in cleaning soln. and left overnight in dil. HgO_3 in contact with Zn. After washing and sterilization they should be used within 2-3 days. The pretreatment with H_2 does not reduce the detn. time in systems with a high potential. The parameter of the electrodes, their smoothness, the degree of the oxidation-reduction buffer action of the medium and the closeness of the potentials of electrode and medium are essential for rapid establishment of the rH.

T. Laanes

2nd. Leningrad Med Inst., Dept. Physical & Colloid Chem.

ASM-SLA METALLURGICAL LITERATURE CLASSIFICATION



PROCESSES AND PROPERTIES INDEX

7

Determination of inorganic acids in the presence of organic acids. M. S. Zakhar'evskii. *Voprosy Pitaniya* 1941, No. 2, 20-32.—If HCl and H_2SO_4 are added to 2 *N* lactic acid or 6 *N* AcOH, the resulting pH, as determined with a quinhydrone electrode, can be used as a measure of the inorganic acid content. The presence of more than 0.5% chloride or sulfate causes high results. The method is not very accurate but can be used qualitatively.

S. Machelson

ASM-SLA METALLURGICAL LITERATURE CLASSIFICATION

ZAKHAR'YEVSKIY, M.S.

Study of the melts of potassium and silver nitrates by new method of the electromotive force. M. B. Zakhar'evskii and T. V. Permyakova (State Univ., Leningrad). *Zhur. Obshchei Khim.* 26, 2047–52(1956).—The KNO_3–$AgNO_3$ system was studied by measuring the e.m.f. At temps. below 150° a chem. reaction takes place between the components, but above 150° the system behaves ideally.

J. Roytar Leach

ZAKHAR'YEVSKIY, M.S.

ZAKHAR'YEVSKAYA, I.D.; LENTOVSKAYA, V.A.; ZAKHAR'YEVSKIY, M.S.

Prospects for automatic control of vat-dyeing processes. Tekst. prom. 17 no.6:37-38 Je '57. (MLRA 10:7)
(Dyes and dyeing) (Automatic control)

ZAKHAR'YEVSKIY, M.S.

Oxidation-reduction potentials of solutions of methylene blue. B. P. Nikol'skii, M. S. Zakhar'yevskii and V. V. Pal'chevskii. *Uchen. Zapiski Leningrad. Gosudarst. Univ. im. A. A. Zhdanova* No. 211, *Ser. Khim. Nauk* No. 15, 26–39 (1957).—A method superior to that of Clark was worked out for detg. the constn. of dissocn. for oxidation reduction indicators by means of galvanic elements without transference. Methylene blue (I) was purified by quintuple recrystn. from dil. aq. HCl, then twice from H_2O, and dried over H_2SO_4. Leuco-I was prepd. from I by reduction with H_2 and Pt. The cell Pt | | I 2.656 × 10^{-4} *M*/leuco I 2.656 × 10^{-4} *M* | | H electrode was used in place of the calomel electrode with uncertain diffusion potential as used by Clark (*C.A.* 17, 2607; 22, 499). The pH of the system was detd. by means of the H electrode and a third, satd. calomel, half-cell, with a satd. KCl bridge. The oxidation-reduction potential of the I system, φ, at 20°, was detd. relative to both the H and the calomel electrodes as a function of the pH. Simultaneously the ratio I:leuco I was detd. spectrophotometrically from the intensity of absorption at 510.0 mμ rather than at the absorption max. 667.5 mμ. The function φ vs. pH shows breaks at pH 5 and 6, corresponding to K_1 and K_2, resp.; φ_2 is practically independent of ionic strength μ over the range 0.02–0.40. The 1:1 oxidation-reduction element shows a min. for $E = \varphi^0 - (3/2)$pH at about pH 5.2. Theoretical calcns. for φ = e.m.f. for various values of pH for an oxidation-reduction electrode-H electrode cell, as based on the assumption of 2 different dissocn. consts., rather than one only, for the leuco-form of I, yield values that agree well with the exptl. curves: Leuco-I = $RH_2^{++} \rightarrow RH_2^{+}(K_1) \rightarrow RH(K_2)$; for which $(a_{H^+})^2_{\text{min.}} = K_1K_2$, $E_{\text{min.}} = \varphi_0 + (3/2)\log(K_1 + 2\sqrt{K_1K_2})$; $K_1 = 0.97 \times 10^{-5}$, $K_2 = 1.36 \times 10^{-6}$, $\varphi_0 = 541.0$ mv., at 20°. These results agree satisfactorily with those obtained by Clark at 30°, 3×10^{-5}, and 1.4×10^{-6}.

F. H. Rathmann

1/Distrs 4E4j

ZAKHAR'YEVSKIY, M.S.

ZAKHAR'YEVSKAYA, I.D.; LENTOVSKAYA, V.A.; ZAKHAR'YEVSKIY, M.S.

Measuring the end-point oxidation-reduction potential of vat-dye solutions. Tekst.prom. 18 no.5:71-72 My '58. (MIRA 11:5)
(Dyes and dyeing) (Oxidation-reduction reaction)

ZAKHAR'YEVSKIY, Mstislav Sergeyevich; NIKOL'SKIY, B.P., otv. red.; DOBYCHIN, D.P., kand. khim. nauk, otv. red.; PIASTRO, V.D., red.; ZHUKOVA, Ye.G., tekhn. red.

[Kinetics and catalysis] Kinetika i kataliz. Leningrad, Izd-vo Leningr. univ. 1963. 313 p. (MIRA 16:7)

1. Chlen-korrospondent AN SSSR (for Nikol'skiy).
(Chemical reaction, Rate of) (Catalysis)

ACCESSION NR: AP4041837 S/0054/64/000/002/0084/0089

AUTHOR: Batyayev, I. M.; Zakhar'yevskiy, M. S.

TITLE: Investigation of the oxidation potential in the cerous-ceric-nitric acid-water-tributylphosphate system

SOURCE: Leningrad. Universitet. Vestnik. Seriya fiziki i khimii, no. 2, 1964, 84-89

TOPIC TAGS: oxidation potential, cerous ceric oxidation potential, cerium nitrate complex, electrometric determination, electromotive force determination

ABSTRACT: The normal oxidation potential of cerium (trivalent to tetravalent) in a nitric acid-water-tributylphosphate (TBP) medium was determined. Two series of runs were made using N_{H_2O}/N_{TBP} = 1/1.11 and 1/1.81. TBP is saturated with water at 1/1.04; a lower water content cannot be used because the concentrated HNO_3 in the system decomposes to form lower nitrogen oxides which would reduce the Ce IV. The apparatus shown in fig. 1. was used to measure the e.m.f. of the elements: (Pt) H_2 / HCl; H_2O; TBP | HNO_3; H_2O; TBP; Ce IV; Ce III / Pt and glass electrode / HNO_3; H_2O; TBP, Ce IV; Ce III / Pt.

Card 1/3

ACCESSION NR: AP4041837

Values of 1.37 and 1.35 v. were obtained; the lower oxidation potential was obtained for the sample with the lower water content in the TBP. This was explained as due to the stronger complexing of the Ce IV with the nitrate ion. Orig. art. has: 14 equations, 3 tables and 1 figure.

ASSOCIATION: None

SUBMITTED: 00Feb64 ENCL: 01

SUB CODE: IC, OC NR REF SOV: 003 OTHER: 006

Card 2/3

ACCESSION NR: AP4041837 ENCL: 01



Figure 1

Cell for the electrometric determinations: 1--container; 2--two glass electrodes; 3--two polished platinum electrodes; 4--container for hydrogen polyelement ($HCl-H_2O$-TBP; HNO_3-H_2O- TBP); 5--two platinum hydrogen electrodes; 6--tube for hydrogen feed; 7--connecting tube with capillary and polished cap.

Card: 3/3

L 2726-65 EPA(s)-2/EWT(m)/T/EWP(q)/EWP(b) Pt-10 AFWL/ASD(a)-5/ESD(t)/RAEM(t)
JG/JD/RWH
ACCESSION NR: AP4046466 S/0032/64/030/010/1196/1198

AUTHOR: Zakharʹyevskiy, M. S.; L'vova, T. L.; Kuznetsova, I. N.; Kryʺzhanovskiy, B. P.

TITLE: The behavior of film semiconductor SnO_2 electrodes in reducing oxidizing surroundings

SOURCE: Zavodskaya laboratoriya, v. 30, no. 10, 1964, 1196-1198

TOPIC TAGS: oxidation, reduction, semiconductor, stannous oxide, film semiconductor, electrode, quinhydrone

ABSTRACT: The authors studied the dependence of the potential of various specimens of film semiconductor SnO_2 electrodes on the concentration ratio of the oxidation and reduction form in the reversible oxidation-reduction system $Fe^{3+} \rightleftarrows Fe^{2+}$, $Fe(CN)_6^{3-} \rightleftarrows Fe(CN)_6^{4-}$ and quinhydrone in buffer solution. Solutions containing $Fe^{3+} \rightleftarrows Fe^{2+}$ were prepared by mixing iron sulfate and ferrous ammonium sulfate (Mohr's salt) in 0.1-n H_2SO_4, thus yielding an Fe^{3+} and Fe^{2+} concentration of 0.004 moles/liter. The solution containing ferri-ferrocyanide radicals was prepared by

Card 1/2

L 6726-65
ACCESSION NR: AP4046466

3

mixing effect measures of potassium ferricyanide and potassium ferrocyanide in a standard buffer solution of pH=4.00, 6.88, and 9.18. An absolute potassium ferri- and ferrocyanide concentration of 0.0017 moles/liter was obtained. Quinhydrone was [illegible] by several rinsings with the same buffer solutions. Results were plotted to show the dependence of the potential of galvanic elements I and II upon the logarithm of relative radical concentrations in the ambient solutions, and upon buffer solution pH for the quinhydrone case. A third plot shows the potential curve for the SnO_2 electrode for titration of bivalent iron by potassium bichromate. Orig. art. has: 3 figures and 1 formula.

ASSOCIATION: Leningradskiy gosudarstvennyy universitet im. A. A Zhdanova (Leningrad State University)

SUBMITTED: 00 ENCL: 00

SUB CODE: EE, GC NO REF SOV: 006 OTHER: 002

Card 2/2

BOBROV, V.S.; LUTUGINA, N.V.; MOLODENKO, P.Ya.; ZAKHAR'YEVSKIY, M.S.; STEFANOVA, O.K.; BELYUSTIN, A.A.; MATEROVA, Ye.A.; NIKOL'SKIY, B.P., otv. red.; POZDYSHEVA, V.A., red.

[Theoretical and practical guide to laboratory work in physical chemistry] Teoreticheskoe i prakticheskoe rukovodstvo k laboratornym rabotam po fizicheskoi khimii. [Leningrad] Izd-vo Leningr. univ. Pt.1. 1965. 197 p. (MIRA 18:12)

1. Leningrad. Universitet. 2. Chlen-korrespondent AN SSSR (for Nikol'skiy).

PENDIN, A.A.; ZAKHAR'YEVSKIY, M.S. [deceased]; KUZNETSOVA, L.N.

Conductance of solutions of a mixture of the two 1,1-electrolytes with the identical ion. Vest.LGU 20 no.22:115-121 '65.
(MIRA 18:12)

L 31804-66 EWT(m)/EWP(j) WW/JW/RM

ACC NR: AP6021668 SOURCE CODE: UR/0079/66/036/003/0397/0401

AUTHOR: Pondin, A. A.; Zakhar'yevskiy, M. S. (Deceased); Leont'yevskaya, P. K. 76 B

ORG: Leningrad State University (Leningradskiy gosudarstvennyy universitet)

TITLE: Chemical heat and entropy of hydration of the ferricinium cation

SOURCE: Zhurnal obshchoy khimii, v. 36, no. 3, 1966, 397-401

TOPIC TAGS: entropy, hydration, cation, heat of reaction, isobaric potential, electromotive force, ion concentration, intermolecular complex

ABSTRACT: The change in the isobaric potential, the heat of reaction, and the entropy of reaction were determined by a potentiometric method at 25°C for the reaction $\frac{1}{2}H_2 + Fe(C_5H_5)_2^+ \rightleftarrows Fe(C_5H_5)_2 + H^+$ in aqueous solution. The standard entropy and chemical heat of hydration of the ferricinium cation in aqueous solution at 25°C were calculated from these values. The absence of any appreciable complex formation of the ferricinium cation with the chloride ion at 25°C within the interval of chloride ion concentrations from 0 to 0.1 M was demonstrated in an investigation of the electromotive force of the galvanic cell compiled from an electrode reversible with respect to the ferricinium cation and a glass electrode, as a function of the variable KCl concentration. Orig. art. has: 1 figure, 1 formula and 1 table. [JPRS]

SUB CODE: 07 / SUBM DATE: 22Mar65 / ORIG REF: 005 / OTH REF: 003

LS
Card 1/1 UDC: 536.6+536.75:542.934

PENDIN, A.A.; ZAKHAR'YEVSKIY, M.S.

Determination of the conductance of the solvent in the case of an electrolyte with a common ion. Elektrokhimiia 1 no.6:751-754 Je '65. (MIRA 18:7)

1. Leningradskiy gosudarstvennyy universitet imeni Zhdanova.

ZAKHAR'IEVSKIY, M.S.; PETROVSKAYA, I.A.

Coulometric determination of the oxygen present on indifferent electrodes. Vest. LGU 19 no.22:157-159 '64 (MIRA 18:1)

ZAKHAR'YEVSKIY, M.S.; L'VOVA, T.I.; KUZNETSOVA, I.N.; KRYZHANOVSKIY, B.P.

Behavior of SnO_2 semiconductor film electrodes in redox media. Zav. lab. 30 no.10:1196-1198 '64. (MIRA 18:4)

1. Leningradskiy gosudarstvennyy universitet imeni Zhdanova.

NIKOL'SKIY, B.P.; PENDIN, A.A.; ZAKHAR'YEVSKIY, M.S.

Electrode reversible toward a ferricinium cation. Dokl. AN SSSR 160 no.5:1131-1132 F '65. (MIRA 18:2)

1. Leningradskiy gosudarstvennyy universitet im. A.A. Zhdanova.
2. Chlen-korrespondent AN SSSR (for Nikol'skiy).

ZAKHAR'YEVSKIY, M.S.; PAL'CHEVSKIY, V.V.

Redox potential measurement as a method of investigation of complex formation in solutions. Vest. LGU 19 no.22:121-126 '64 (MIRA 18:1)

L 20229-65 EWT(m)/EPF(c)/EWP(j) Pc-4/Pr-4 RM S/0075/64/019/011/1407/1408
ACCESSION NR: AP4049099

AUTHOR: Nikol'skiy, B.P., Zakhar'yevskiy, M.S., Pendin, A.A.

B

TITLE: Determination of ferrocene

SOURCE: Zhurnal analiticheskoy khimii, v. 19, no. 11, 1964, 1407-1408

TOPIC TAGS: ferrocene determination, ferriferro system, Nernst equation, ferricinium cation, redoximetric analysis

ABSTRACT: A redoximetric method for the quantitative determination of ferrocene in acetic acid solution is described. The oxidative potential of the ferriferro system in 2 N HCl, at an overall concentration of the iron salt of 10^{-3} M, strictly obeys the Nernst equation and does not depend, within 1 mv limits, on additions of the other reagents up to 6-8%. This property of the ferri-ferro system permits a quantitative determination of ferrocene in acetic acid solution in the presence of the ferricinium cation, as well as analysis of the purity of the ferrocene preparation. A solution with a known concentration of $FeCl_3$ in 2 N HCl is added to the ferrocene solution in acetic acid. The precipitating ferrocene redissolves during oxidation by the iron salt. The oxidation potential is determined relative to a saturated calome electrode. The error was 0.6%, although it could reach 1-2% for less careful determinations. Orig. art. has: 1 table and 2 formulas.

Card 1/2

L 20229-65
ACCESSION NR: AP4049099

ASSOCIATION: Leningradskiy gosudarstvennyy universitet im. A.A. Zhdanova (Leningrad State University)

SUBMITTED: 27Jan64 ENCL: 00 SUB CODE: OC

NO REF SOV: 002 OTHER: 002

Card 1/2

BATYAYEV, I. M.; ZAKHAR'YEVSKIY, M. S.

Oxidation potential in the system ceric-cerous-nitric acid-water-tributyl phosphate. Vest. LGU 19 no.10:84-89 '64. (MIRA 17:7)

ZAKHAR'YEVSKIY, M.S.; GATILOVA, Ye.G.; MAKHORTYKH, S.V.

Conductance of sodium acetate and ferrous acetates in aqueous acetic acid solutions. Vest. LGU 18 no.22:105-113 '63.

Conductance method of studying the complex formation of ferric acetate in aqueous acetic acid solutions. Ibid.:114-119 (MIRA 17:1)

PAL'CHEVSKIY, V.V.; ZAKHAR'YEVSKIY, M.S.; KAL'VARSKAYA, T.M.

Dissociation constant of methyl orange. Vest. LGU 18 no.10: 96-100 '63. (MIRA 16:8)
(Methyl orange) (Dissociation)

ZAKHAR'YEVSKIY, M. S.

Chair of Physical and Colloidal Chem.

"To the Methods of Determination of the Oxidoreduction Potential of the Bacterial Cultures."

Zhur. Mikrobiol., Epidemiol., i Immunobiol., No. 4-5, 1944.



C A

A portable apparatus for measuring pH. M. S. Zakhar'evskii, *Zavodskaya Lab.* 12, 807–8(1946).—The construction of the pH meter is based on that of the cathode voltmeter. The galvanometer has 100 scale divisions, each corresponding to 1.5 v. Owing to the complete absence of current in the circuit of the element, it is possible to det. the pH value in weakly buffered solns. A low-potential Pb-Cd standard element ($HgCd_{12}\%/CdCl_2 \cdot 2H_2O/PbCl_2/Hg^{Pb}_{6\%}$, e.m.f. 0.14180 at 20°) is used in the app. The detns. are accurate to within pH 0.013. The quinhydrone electrode is used, with acetate (pH 4.62) and phosphate (pH 7.00) buffer solns. for comparison electrodes. With acetate buffer soln. the pH of the liquid can be detd. from 2.04 to 7.02 and with phosphate buffer from 4.4 to 9.6. The pH value is calcd. from $pH = pH_s + 1.5_{/\alpha}$ (at 20°) (pH_s is the pH value of the buffer soln., α the galvanometer readings, 50 the temp. coeff.).

W. R. Henn

A 50-51 A METALLURGICAL LITERATURE CLASSIFICATION

ZARNITSYNSKIY, M. S.

"The Dynamics of Redox Potential in the process of Penicillin Bacteriostasis"

SOURCE: Journal of the Institute of Experimental Medicine (ZhMEI), No 11, 1948

ZAKHAR'YEVSKIY, M. S.

"Determination of the Oxidation-Reducation Potential [Redox Potential] of Biological Systems", Biologicheskiye Antiseptiki, 1950, pp 65-72

Trans.

M-74, 18 Jan 55

CA

11C

Variation of the oxidation-reduction potential of a culture of Staphylococcus aureus during phagolysis. M. N. Lakhtina. *Trudy Leningrad. Sanit. Gigien. Med. Inst.* 5, 73-7 (1950).—The oxidation-reduction potential of *S. aureus* treated with bacteriophage does not differ from the control. With a strong reducing culture, such as *Proteus vulgaris*, the curve of the potential is almost a mirror image of the growth curve. Upon death of the organisms the potential rises rapidly. G. M. Kosolapoff

Zakhar'yevskiy, M. S.

Category: USSR / Physical Chemistry - Kinetics. Combustion. Explosives. Topochemistry. Catalysis. B-9

Abs Jour: Referat Zhur-Khimiya, No 9, 1957, 30020

Author : Zakhar'yevskiy M. S., Vasilenko K. M.
Inst : not given
Title : Concerning the Mechanism of the Reaction of Saccharose Hydrolysis

Orig Pub: Zh. obshch. khimii, 1956, 26, No 8, 2304-2311

Abstract: Reaction velocity of hydrolysis of saccharose (I) was determined polarimetrically in aqueous and aqueous-alcoholic solutions, at different concentrations of HCl, alcohol and I, and at 25°. Due to mutarotation of glucose and fructose the final angle of rotation α changes with time and passes thru a minimum. For a given concentration of I the minimum value of α was taken. From data found in the literature and those secured by the authors, an empirical equation has been derived for the experimental velocity constant of the reaction $K(min^{-1})$, in aqueous solution: $K(H_2O)/(HCl) = 0.182 \cdot 10^{0.7(HCl)}$. A scheme of the reaction is proposed:

Card : 1/2

-9-

ZAKHAR'YEVSKIY, M.S.; LI SUN-GI

Measuring the diffusion coefficient in strontium chloride solutions by means of tagged atoms. Vest. LGU 17 no.16:131-134 '62. (MIRA 15:9)

(Diffusion) (Strontium chloride) (Radioactive tracers)

ZAKHAR'YEVSKIY, M.S.

Oxidation potentials and some fields of their application. Vest LGU 16 no.22:73-77 '61. (MIRA 14:11)
(Oxidation-reduction reaction)

ZAKHAR'YEVSKIY, M.S.; RABINOVICH, V.A.

Thin-layer electrodes. Zav.lab. 27 no.9:1158-1159 '61. (MIRA 14:9)

1. Leningradskiy gosudarstvennyy universitet imeni A.A. Zhdanova.

(Electrodes, Platinum)

ZAKHAR'YEVSKIY, M.S.; MUSOROK, Ye.G.; YAKUBOV, Kh.M.

Analysis of the vat dyeing process in laboratories.
Tekst.prom 20 no.10:43-45 O'60. (MIRA 13:11)
(Dyes and dyeing)

PAL'CHEVSKIY, V.V.; ZAKHAR'YEVSKIY, M.S.; MALININA, Ye.A.

Thermodynamic characterizarion of the processes of protolytic dissociation of benzoic and p-hydrozybenzoic acid. Vest. LGU 15 no.16:95-101 '60. (MIRA 13:8)

(Benzoic acid) (Hydrogen ion concentration)

ZAKHAR'YEVSKIY, M.S.

Application of the method of oxidation potentials to the study of the interactions of substances in solutions [with summary in English]. Vest. LGU 15 no.22:77-81 '60. (MIRA 13:11)
(Oxidation-Reduction reaction) (Complex ions)

S/054/60/000/004/008/015
B004/B056

AUTHOR: Zakhar'yevskiy, M. S.

TITLE: Application of the Method of Oxidation Potentials for the Purpose of Studying the Interaction of Substances in Solutions

PERIODICAL: Vestnik Leningradskogo universiteta. Seriya fiziki i khimii, 1960, No. 4, pp. 77-81

TEXT: This is a review of publications on protolytic equilibria in redox systems. The author proceeds from the dissociation constants in redox systems as determined by Professor B. P. Nikol'skiy (Refs. 1-4). This method makes use of the electrolytic cell Pt | redox system | glass electrode. The relation between the oxidation potential E and pH is expressed by $E = \varphi + \vartheta pH$. φ denotes the voltage referred to the hydrogen electrode; $\vartheta = 2.303RT/F$. By the example of toluidine blue, the following relations are derived for the dissociation constants: $pH_{min} = (pK_1 + pK_2)/2$; $E_{min} = E_0 + (\vartheta/2)\log(K_1 + 2\sqrt{K_1K_2})$; $E = E_0 + (\vartheta/2)\log K_1K_2 - (\vartheta/2)\log K_3$.

Card 1/2

Application of the Method of Oxidation Potentials for the Purpose of Studying the Interaction of Substances in Solutions

S/054/60/000/004/008/015
B004/B056

The application of this method by various research scientists when investigating acetate complexes in the system Fe^{3+} - Fe^{2+} (V. V. Pal'chevskiy, R. G. Gorbunova, Ref. 16) and work carried out by the author at the kafedra fizicheskoy khimii Leningradskogo gosudarstvennogo universiteta (Chair of Physical Chemistry of Leningrad State University) for the purpose of studying redox potentials of dyes are mentioned. There are 2 figures and 20 references: 17 Soviet and 3 US.

Card 2/2

A Method Used to Study the Kinetics of Heterogeneous Catalytic Reactions

S/054/60/000/01/009/022
B004/B117

$\ln\gamma, \tau$; $\ln\gamma, \ln\tau$. The shape of the respective kinetic equation is characterized by a linear dependence in the initial part of the curve of one of the diagrams. Then, the order of reaction for each reactant, the rate constant, and the activation energy are calculated. In addition, the author investigates as examples the reactions $\nu_1 A + \nu_2 B \rightleftharpoons \nu_3 C + \nu_4 D$; $\nu_1 A + \nu_2 B \longrightarrow \nu_3 C$, $\nu_1 A \longrightarrow \longrightarrow \nu_3 C + \nu_4 D$, and derives the corresponding kinetic equations. Figures 1 to 3 show the course of the γ, τ-diagram for various reaction orders. Fig 4 illustrates the determination of the reaction order from $\tan\alpha$ of the straight line in the coordinates $\ln\gamma$, $\ln\tau$. There are 4 figures, 1 table, and 5 Soviet references.

Card 2/2

ZAKHAR'YEVSKIY, M.S.; VASILENKO, K.M.

Applicability of thin film electrodes for the study of oxidation-reduction systems. Uch.zap.LGU no.272:48-56 '59.
(MIRA 13:1)

(Oxidation-reduction reaction) (Glass electrode)

ZAKHAR'YEVSKIY, M.S.; KROTIKOV, V.A.

Study of sodium and potassium nitrate melts by the method of electromotive forces. Uch.zap.LGU no.272:57-63 '59.
(MIRA 13:1)

(Sodium nitrate) (Potassium nitrate)
(Electromotive force)

ZAKHAR'YEVSKIY, M.S.

Method of studying the kinetics of heterogeneous catalytic reactions.
Vest. LGU 15 no.4:66-71 '60. (MIRA 13:2)
(Chemical reaction, Rate of) (Catalysis)

ZAKHAR'YEVSKIY, M.S.

State of the theory of heterogeneous catalysis. Vest.LGU 14 no16: 141-144 '59. (MIRA 12:10)
(Catalysis)

ZAKHAR'YEVSKIY, M.S.; MUSOROK, Ye.G.; YAKUBOV, Kh.M.; LENTOVSKAYA, V.A.

Oxidation potential in vat dye solutions. Vest.LGU 14 no.4: 94-97 '59. (MIRA 12:5)
(Dyes and dyeing) (Oxidation, Electrolytic)

ZAKHARYEVSKIY, M.S

CHINA/Physical Chemistry. Kinetics. Combustion. Explosions. Topochemistry. Catalysis. B

Abs Jour: Ref Zhur-Khim., No 5, 1958, 14698.

Author : Zakharievskiy M.C., Mang-Cheng.
Inst :
Title : The Kinetics of SO_4 Oxidation on a Vanadium Catalyzer Promoted by Na and K Salts.

Orig Pub: Tung-pei jen-min ta-hsueh tse-jen k'e-hsueh hsueh-pao, acta scient. natur., 1958, No 1, 117-129.

Abstract: The kinetics of SO_4 oxidation have been examined on catalyzers, composed of $1.5\ K_2O \cdot 1.5\ Na_2O \cdot V_2O_5$ and $3N_2O \cdot V_2O_5$. The kinetic equations of the oxidizing reaction of SO_4 in the temperature range of 390°-550° for the above catalyzers, as well as the activation energy E (kilocaloric per mole), have been determined.

Card : 1/2

24(6) PHASE I BOOK EXPLOITATION SOV/3442

Zakhar'yevskiy, Matislav Sergeyevich

Kinetika khimicheskikh reaktsiy (Kinetics of Chemical Reactions) [Leningrad] Izd-vo Leningr. univ., 1959. 165 p. Errata slip inserted. 2,500 copies printed.

Sponsoring Agency: Leningradskiy gosudarstvennyy universitet im. A. A. Zhdanova. Redaktsionno-izdatel'skiy sovet.

Resp. Eds.: B. P. Nikol'skiy, USSR Academy of Sciences, Corresponding Member, and Dobychin, Candidate of Chemical Sciences; Ed.: Ye. V. Shchemeleva; Tech. Ed.: Ye. G. Zhukova.

PURPOSE: This textbook is intended for students of chemical departments of universities and chemical schools of higher learning.

COVERAGE: The textbook deals with problems of chemical kinetics and various chemical reactions taking place in liquid and gaseous phases. Basic principles of kinetics and of kinetic theory are explained and the effect of temperature on the velocity of a reaction analyzed. The theory of collisions and its application to reactions in solutions is discussed along with the theory of ionic exchange and elec-

Card 1/5

trolytic effects. Heterogeneous processes and kinetics of processes taking place under conditions of steady and unsteady state of diffusion current are reviewed along with branched and unbranched chain reactions. The theory of transient state, absolute velocity of reactions and thermodynamic principles are also explained. The appendix contains equations relating to consecutive reactions, molecular collisions, oscillation of molecules, and collisions of particles in a solution. The author thanks professors A. V. Storonkin, B. P. Nikol'skiy, D. P. Dobychin, R. L. Myuller, M. Ye. Pozin, S. A. Ariya and K. M. Vasilenko for their assistance.

TABLE OF CONTENTS:

Kinetics of Chemical Reactions SOV/3442

AVAILABLE: Library of Congres

Card 5/5

TM/lsb
4-26-60

5(4)

SOV/54-59-1-12/25

AUTHORS: Zakhar'yevskiy, M. S., Musorok, Ye. G., Yakubov, Kh. M., Lentovskaya, V. A.

TITLE: Oxidation Potential in Solutions of Indigo Dyes (Okislitel'nyy potentsial v rastvorakh kubovykh krasiteley)

PERIODICAL: Vestnik Leningradskogo universiteta. Seriya fiziki i khimii, 1959, Nr 1, pp 94-97 (USSR)

ABSTRACT: The oxidation potential in a redox system may be determined by the following equation: $\varphi = \varphi_o + \frac{RT}{nF} \ln \frac{a_{Ox}}{a_{Red}} + \alpha \ln a_{H^+}$ (2). This equation reflects the dependence of the oxidation potential φ (φ_o = regular oxidation potential) on the activity of the oxidation form (a_{Ox}), and the reduction form (a_{Red}). F = Faraday number and α a coefficient, which takes multiples of the value 1/2.(RT/F) in dependence on the proteolytic equilibrium in the system. On assuming the activity coefficient to be equal to one and with a constant pH, in addition to introducing into equation (2) the numerically computed coefficients, the expressions for

Card 1/3

the oxidation potentials assume the following form:

$$\varphi = \varphi_0 + 0.0001\ T\ \lg \frac{C_{Ox}}{C_{Red}} \quad (3); \quad \varphi = \varphi_0 + 0.0001\ T\ \lg \frac{A}{C_{Red}} \quad (4).$$

Equation (3) holds for the case of a variable activity of the oxidation form and equation (4) holds for a constant activity. The present paper deals with the investigation of the applicability of equations (3) and (4) upon indigo dye solutions. In this connection, the authors investigated the dependence of the oxidation potential on the ratio of the oxidation- and reduction form concentrations in the indigo dye solutions: indigo red "kkh", indigo gold-yellow "zhkh", indigo light green "zh", and indigo blue "o". In the indigo dye solutions, in which the oxidation form is colloidal, a linear dependence of the oxidation potential on $\lg \frac{C_{Ox}}{C_{Red}}$ was found; the inclination angle of the straight lines obtained, however, is somewhat smaller than the one obtained by theoretical calculation. There are 2 figures and 12 references, 3 of which are Soviet.



Simple potentiometric apparatus with a glass electrode. Y. A. Zakhar'yevskii. *Zavodskaya Lab.* 6, 582–6(1937).—A modified Roberts method (*C. A.* 25, 103) for prepg. a low-resistance glass electrode and manner of using it in detg. p_H values of solns. contg. active oxidizers and reducers are described in detail. Chas. Blanc



CA

The use of methyl red as indicator in the titration of fluorine with thorium salts. V. A. Zakhar'evskiĭ. *Zavodskaya Lab.* 6, 1019–20(1937).—In a modification of the Willard and Winter method (*C. A.* 27, 681), F^- is titrated at 90° with $Th(NO_3)_4$ with methyl red as indicator.
Chas. Blanc



A simple device for regulating the temperature of electric (nichrome-wire resistor) furnaces. V. A. Zakhar'evskii. *Zavodskaya Lab.* 7, 331–4(1938).—A modified Heraeus thermoregulator is described. Chas. Blanc



Automatic apparatus for distillation of mercury. V. A. Yakhontova. *Zavodskaya Lab.* 7, [illegible]. An electrically heated const.-feed tubular still is illustrated and described.
Chas. Blanc

ASM-SLA METALLURGICAL LITERATURE CLASSIFICATION



CA

7

New qualitative test for aluminum. V. A. Zakhar'evskii. *Zavodskaya Lab.* 8, 33-6(1939).—Heat a 0.5–1 ml. portion of the Al soln. having a free acid concn. not over 0.25–0.5 *N* HCl to boiling in a test tube and mix with an equal vol. of the reagent prepd. by mixing 10 ml. of a 0.4% $ZrO(NO_3)_2.4H_2O$ soln. with 5 ml. of 0.4% alc. soln. of alizarin red and 1 ml. of about 0.6 *N* KF soln. and dilg. to 65 ml. with 2 *N* HCl. The test-tube contents are heated up to the b. p. and cooled with a stream of cold water. In the absence of Al the soln. becomes yellow or gold-yellow in color but in the presence of Al the color is crimson. For concns. of Al up to 0.01–0.02 *N* the intensity of the coloration is proportional to the Al content. If the concn. of Al is large (0.5 *N*) the crimson color appears as soon as the reagent is added and the heating is not required. The sensitivity of the reaction is governed by the concn. of the F ions. With the above concns. of the reagents it is possible to detect as little as 1 part of Al in 500,000 parts of soln. In detecting small amts. of Al (below 0.01 *N*) the results must be compared with a blank test. The method is convenient, rapid, and reliable for detecting Al in a mixt. of cations of the 3rd group after sepn. from the 4th group. The reaction is interfered with by sulfate, fluoride, hypochlorite, oxalate and sulfate ions. To remove interfering ions treat the soln. with $NaClO_3$ or $KaClO_3$, filter and det. Al in the ppt. H. Z. K.

A58-SLA METALLURGICAL LITERATURE CLASSIFICATION



Detection of Al. V. A. Zakhar'evskii. Russ. 56,850, April 20, 1940. . In the absence of oxalate a raspberry-red coloration on treating the acidified soln. with a soln. contg. a Zr salt, alizarin red and KF shows the presence of Al.

LASSIEUR, Arnold; BORNEMAN-STARYNKEVICH, I.D. [translator]; ZAKHAR'YEVSKIY, V.A., redaktor; NIKIFOROVA, A.N., tekhnicheskiy redaktor

[Analysis of silicates; rocks, glasses, glazes, and refractory materials] Analiz silikatov; gornykh porod, stekl, glazurei, ogneuporov. Perevod s frantsuzskogo I.D.Borneman-Starynkevich. Moskva, Izd-vo inostrannoi lit-ry, 1954. 150 p. (MLRA 7:9)
(Silicates)

ZAKHAR'YEVSKIY, V.A.

PETROV, A.D., redaktor; ZAKHAR'YEVSKIY, V.A., redaktor; HELEVA, M.A., tekhnicheskiy redaktor.

[Acetylene chemistry; a collection. Translated from the English and the German] Khimiia atsetilena; sbornik. Per. s angliiskogo i nemetskogo. Moskva, Izd-vo inostrannoi lit-ry, 1954. 374 p. (MLRA 8:3)

1. Chlen-korrespondent Akademii nauk SSSR (for Petrov)
(Acetylene)

WEISSBERGER, Arnold, editor; ZAKHAR'YEVSKIY, V.A. redaktor; ARNOL'DOV, V.V., redaktor; IL'IN, B.M., tekhnicheskiy redaktor.

[Physical methods of organic chemistry. Translated from English] Fizicheskie metody organicheskoi khimii. Perevod s angliiskogo. Moskva, Izd-vo inostrannoi lit-ry. Vol.4, 1955. 747 p. (MLRA 8:9) (Chemistry, Organic)

ZAKHAR'YEVSKIY, V.A.

BOYKOVA, A.I. [translator]; BOHDAR', A.I. [translator]; VOANO, V.G. [translator]; YEGOROVA, Ye.N. [translator]; NIKOGOSYAN, Kh.S. [translator]; TOROPOV, N.A., professor, redaktor; ZAKHAR'YEVSKIY, V.A., redaktor; OGANDZHANOVA, N.A., redaktor; DUMBRE, I.Ya., tekhnicheskiy redaktor

[Physical chemistry of silicates; a collection of articles. Translated from the English and German] Fizicheskaia khimiia silikatov; sbornik statei. Perevod s angliiskogo i nemetskogo A.I.Boikovoi i dr. Pod red. N.A.Toropova. Moskva, Izd-vo inostrannoi lit-ry, 1956. 302 p. (MIRA 9:7)
(Silicates)

SIMONS, J.H., editor; KNUNYANTS, I.L., akademik, redaktor; VARSHAVSKIY, Ya.M., kandidat khimicheskikh nauk, redaktor; ZAKHAR'YEVSKIY, V.A., redaktor; GRIBOVA, M.P., tekhnicheskiy redaktor

[Fluorine chemistry. Translated from the English] Ftor i ego soedineniia. Perevod s angliiskogo. Pod red. I.L.Knuniantsa i IA.M.Varshavskogo. Moskva, Izd-vo inostrannoi lit-ry, Vol.2. 1956. 495 p. (MLRA 9:11)
(Fluorine)

SVENTOSLAVSKIY, V.V. [Świętosławski, Wojciech]; BANASHEK, Ye.I., kand.khim. nauk [translator]; ZAKHAR'YEVSKIY, V.A., red.; BELKVA, M.A., tekhn.red.

[Physical chemistry of coal tar] Fizicheskaia khimiia kamenno-ugol'noi smoly. Translated from the Polish. Moskva, Izd-vo inostr.lit-ry, 1958. 370 p. (MIRA 12:2)
(Coal tar)

VATSULIK, Pavel [Vaculik, Pavel], inzh.dr.; ARTEM'YEV, A.A., kand.tekhn. nauk [translator]; VOL'FSON, B.M. [translator]; KNUNYANTS, I.L., akademik, red.; ZAKHAR'YEVSKIY, V.A., red.; PRIDANIYEVA, S.V., tekhn.red.

[Chemistry of monomers] Khimiia monomerov. Pod red. I.L. Knuniantsa. Moskva, Izd-vo inostr.lit-ry. Vol.1. 1960. 738 p. (MIRA 14:3)

(Polymers) (Chemistry, Organic)

PRSHIBIL, Rudol'f [Pribil, Rudolf], dotsent, doktor khim.nauk; KORYTA, I. [Koryta, Jiri], doktor; VAYNSHTEYN, Yu.I., kand.tekhn.nauk [translator]; LUR'YE, Yu.Yu., doktor khim.nauk, red.; ZAKHAR'YEVSKIY, V.A., red.; PRIDANTSEVA, S.V., tekhn.red.

[Complexons in chemical analysis] Kompleksony v khimicheskom analize. Izd.2., polnost'iu perer. i rasshirennoe. Avtor teoreticheskoi chasti I.Koryta. Pod red. IU.IU.Lur'e. Moskva, Izd-vo inostr.lit-ry, 1960. 580 p. Translated from the Czech. (MIRA 13:9)
(Chemistry, Analytical) (Complexons)

ZAKHARYN, L.

From the recollections of the oldest workers of the Mytishchi factory. Khim.volok. no.3:76 '59. (MIRA 12:11)
(Mytishchi--Textile industry)

CA ZAKHARYN, Yu.L.

11A

Inhibition of the hexokinase reaction by extracts from animal organs. Yu. L. Zakharyn. *Biokhimiya* 16, 562–6 (1951); cf. Colowick, Cori, and Stein, *C.A.* 41, 5630*f*.—The phosphorylation of glucose to glucose 6-phosphate by the enzyme hexokinase is not inhibited by exts. of the anterior pituitary. The hexokinase reaction is retarded by an aq. ext. of the pancreas, but cortin and insulin are without effect on the reaction, in the presence or absence of the pancreas inhibitor. Phosphatase is not the inhibiting agent H. Priestley

ZEYEL', Frits [Seel, Fritz], prof., doktor; DYATKINA, M.Ye., doktor khim.nauk [translator]; ZAKHAR'YEVSKIY, V.A., red.; GRIBOVA, M.P., tekhn.red.

[Atomic structure and chemical bonds; an introduction to the present-day theory of chemical bonds represented by visual aids] Stroenie atoma i khimicheskaia sviaz'; vvedenie v sovremennuiu teoriiu khimicheskoi sviazi na osnove nagliadnykh predstavlenii. Moskva, Izd-vo inostr. lit-ry, 1958. 66 p. [Translated from the German] (MIRA 12:6)

(Chemical bonds)

ZAKHARYINA, G. V.

ZAKHARYINA, G. V. - "The seasonal and perennial regime of irrigated and fallow land in the Kugan and Mil'skaya steppes." Moscow, 1955. Acad Sci USSR. Soil Inst imeni V. V. Dokuchayev. (Dissertations for degree of Candidate of Agricultural Sciences)

SO: Knizhnaya letopis', No 48. 26 November 1955. Moscow.

ZAKHARYUTA, V.P.; YUDOVICH, V.I.

General form of a linear functional in H'_p. Usp.mat. nauk 19 no. 2:139-142 Mr-Ap '64. (MIRA 17:6)

ZAKHARYUTA, V.P.

Bases in the space of functions analytic in the closed circle of $|z| \leq R$. Dokl. AN SSSR 141 no.5:1023-1025 D '61. (MIRA 14:12)

1. Rostovskiy-na-Donu gosudarstvennyy universitet. Predstavleno akademikom A.N. Kolmogorovym.
(Topology) (Functions, Analytic)

ZAKHARYUTA, V.P.

Product of bases in arbitrary regions. Dokl. AN SSSR 151 no.2: 273-276 Jl '63. (MIRA 16:7)

1. Rostovskiy-na-Donu gosudarstvennyy universitet. Predstavleno akademikom V.I.Smirnovym.
(Functions, Analytic) (Topology)

ZAKHARYUTA, Vyacheslav Pavlovich, starshiy prepodavatel'; SIMONENKO, Igor' Borisovich, kand. fiz.-matem. nauk, starshiy nauchnyy sotrudnik; SHATSKIKH, L.S., mladshaya nauchnaya sotrudnitsa; YUDOVICH, V.I., kand. fiz.-matem. nauk, ispolnyayushchaya obyazannosti dotsenta.

Green's function for a region with dielectric layer. Izv. vys. ucheb. zav.; elektromekh. 7 no.9:1052-1056 '64 (MIRA 18:1)

1. Kafedra matematicheskogo analiza Rostovskogo-na-Donu universiteta.

ZAKHARYUTA, Vyacheslav Pavlovich, starshiy prepodavatel'; SIMONEK, Igor' Borisovich, kand. fiziko-matemat. nauk, starshiy nauchnyy sotrudnik; YUDOVICH, Viktor Iosifovich, kand. fiziko-matemat. nauk ispolnyayushchiy obyazannosti dotsenta

Calculation of the capacitance of three infinite bands laying on the surface of a dielectric half-space. Izv. vys. ucheb. zav.; elektromekh. 8 no.1:20-23 '65. (MIRA 18:3)

1. Kafedra matematicheskikh analizov Rostovskogo gosudarstvennogo universiteta.

ZAKHARYUTA, Vyacheslav Pavlovich, starshiy predovavatel'; SIMONENKO, Igor' Borisovich, kand. fiziko-matem. nauk; CHEKULAYEVA, Aleksandra Afanas'yevna, mladshaya nauchnaya sotrudnitsa; YUDOVICH, Viktor Iosifovich, kand. fiziko-matem. ispolnyaushchiy obyazannosti dotsenta

Capacitance of a round disc on a dielectric layer; for a case of thick layer. Izv. vys. ucheb. zav.; elektromekh. 8 no.5:487-494 '65. (MIRA 18:7)

1. Kafedra matematicheskogo analiza Rostovskogo-na-Donu gosudarstvennogo universiteta.

ZAKHARYUTA, Vyacheslav Pavlovich, starshiy prepodavatel'; SIMONENKO, Igor' Borisovich, kand.fiziko-mat. nauk, starshiy nauchnyy sotrudnik; CHUBUKOVA, Yelena Sergeyevna, mladshaya nauchnaya sotrudnitsa; YUDOVICH, Viktor Iosifovich, kand. fiziko-mat. nauk, ispolnyayushchiy obyazannosti dotsenta

Capacitance of two rectangular conductors. Izv.vys.ucheb.zav.; elektromekh. 8 no.7:727-732 '65. (MIRA 18:8)

1. Kafedra matematicheskogo analiza Rostovskogo universiteta.

ZAKHARYUTA, Vyacheslav Pavlovich, starshiy prepodavatel'; SIMONENKO, Igor' Borisovich, kand. fiziko-matem.nauk, starshiy nauchnyy sotrudnik; YUDOVICH, Viktor Iosifovich, kand. fiziko-matem.nauk, ispolnyayushchiy obyazannosti dotsenta

Approximation method for calculating the capacity of conductors on a dielectric layer. Izv. vys.ucheb.zav.; elektromekh. 8 no.3:247-253 '65. (MIRA 18:5)

1. Kafedra matematicheskogo analiza Rostovskogo universiteta.

ZAKHARZHEVSKAYA, M.N.

USSR/General and Special Zoology. Insects. Injurious Insects and Ticks. Pests of Cereal Crops P

Abs Jour : Ref Zhur - Biol., No 11, 1958, No 49597

Author : Zakharzhevskaya M.N.
Inst : Scientific Research Agricultural Institute of Northeastern Districts of Non-Chernozem Belt
Title : Protection of Corn Plantings from Wireworms Through the Use of Hexachlorocyclohexane

Orig Pub : Byul. nauchno-tekhn. inform. N.-i. in-ta s.kh. sev-vost. r-nov nechernozemn. polosy, 1957, No 2-3, 41-43

Abstract : No abstract

Card : 1/1

37